

SAFETY DATA SHEET

TopTeak Step 1 Cleaner

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Trade name: TopTeak Step 1 Cleaner
Unique formula identifier (UFI): WW61-JYT7-5M6K-C8GU

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the Cleaning product

substance or mixture: Restricted to professional users.

Uses advised against : None known.

1.3. Details of the supplier of the safety data sheet

Company and address: TopTeak SARL

15 Rue des halles 75001 Paris France

https://www.topteak.fr/

Contact person: Thibault Dardé

E-mail: thibault@topteak.fr

Revision: 05/12/2023

SDS Version: 1.0

1.4. Emergency telephone number

Contact The National Poisons Information Service (dial 111, 24 h service).

See section 4 "First aid measures".

SECTION 2: HAZARDS IDENTIFICATION

Classified according to Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

2.1. Classification of the substance or mixture

Skin Corr. 1; H314, Causes severe skin burns and eye damage.

Eye Dam. 1; H318, Causes serious eye damage.

2.2. Label elements

Hazard pictogram(s):



Signal word: Danger

Hazard statement(s): Causes severe skin burns and eye damage. (H314)

Precautionary statement(s):

General: If medical advice is needed, have product container or

label at hand. (P101)

TopTeak Step 1 Cleaner Page 1 of 11



Keep out of reach of children. (P102)

Prevention: Do not breathe dust. (P260)

Wear eye protection/protective gloves/protective clothing.

(P280)

Response: IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water . (P303+P361+P353)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing. (P305+P351+P338)

Storage: Store locked up. (P405)

Dispose of contents/container in accordance with local

regulation

(P501)

Hazardous substances: sodium hydroxide

potassium hydroxide

Additional labelling: UFI: WW61-JYT7-5M6K-C8GU

2.3. Other hazards

Additional warnings: This mixture/product does not contain any substances

known to fulfil the criteria for PBT and vPvB classification. This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria

set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Not applicable. This product is a mixture.

3.2. Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
sodium hydroxide	CAS No.: 1310-73-2 EC No.: 215-185-5 UK-REACH: Index No.: 011-002-00-6	>70%	Skin Corr. 1A, H314 Skin Corr. 1B, H314 (SCL: 2.00 %) Skin Irrit. 2, H315 (SCL: 0.50 %) Eye Irrit. 2, H319 (SCL: 0.50 %)	
sodium carbonate	CAS No.: 497-19-8 EC No.: 207-838-8 UK-REACH: Index No.: 011-005-00-2	<10%	Eye Irrit. 2, H319	
potassium hydroxide	CAS No.: 1310-58-3 EC No.: 215-181-3 UK-REACH: Index No.: 019-002-00-8	<10%	Acute Tox. 4, H302 Skin Corr. 1A, H314 Skin Corr. 1B, H314 (SCL: 2.00 %) Skin Irrit. 2, H315 (SCL: 0.50 %) Eye Irrit. 2, H319 (SCL: 0.50 %)	

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

TopTeak Step 1 Cleaner Page 2 of 11



Other information

-

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

General information: In the case of accident: Contact a doctor or casualty

department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an

unconscious person water or other drink.

Inhalation: Upon breathing difficulties or irritation of the respiratory

tract: Bring the person into fresh air and stay with him/her.

Skin contact: Flush exposed area with water for a long time - at least 30

minutes. It may be necessary to flush for several hours. Use a comfortable water temperature (20-30 °C). Contact Poison Information/doctor/hospital for further advice on

follow-up and treatment.

Upon irritation: rinse with water. In the event of continued

irritation, seek medical assistance.

Eye contact: If in eyes: Flush eyes with plenty of water or salt water (20-

30 °C) for at least 30 minutes and continue until irritation stops. Remove contact lenses. Make sure you flush under the upper and lower eyelids. Seek medical assistance immediately and continue flushing during transport.

In the case of ingestion, contact a doctor immediately. If

the person is conscious, give them water. DO NOT try to induce vomiting unless this is recommended by a doctor. Hold head facing down to prevent vomit from returning to the mouth and throat. Prevent shock by keeping the injured person warm and calm. Initiate immediate resuscitation if breathing stops. If unconscious, roll the injured person into recovery position. Call an ambulance.

Burns: Not applicable.

4.2. Most important symptoms and effects, both acute and delayed

Tissue-damaging effects: This product contains substances with skin corrosive properties. Inhaled vapour or aerosols may produce adverse effects to lungs, irritations and burns in the respiratory organs as well as coughing. Dermal contact and contact with the eye cause irreversible effects.

4.3. Indication of any immediate medical attention and special treatment needed

IF exposed or concerned:

Get immediate medical advice/attention.

Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist.

TopTeak Step 1 Cleaner Page 3 of 11



Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Carbon oxides (CO / CO2)

Some metal oxides

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice.

Hazchem Code: 2W

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Avoid direct contact with spilled substances.

Ensure adequate ventilation, especially in confined areas.

6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc. Keep unauthorized persons away from the spill

6.3. Methods and material for containment and cleaning up

Minor spills are collected with a cloth. Collection and disposal of the material shall be done with minimum creation of dust. Sweep and collect. Shall be contained in suitable and tightly closed disposal containers.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Avoid direct contact with the product.

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities

Recommended storage material: Keep only in original packaging.

Storage temperature: Dry, cool and well ventilated

Incompatible materials: Strong acids

Metal

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

TopTeak Step 1 Cleaner Page 4 of 11



SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

sodium hydroxide

Short term exposure limit (15 minutes) (mg/m³): 2

potassium hydroxide

Short term exposure limit (15 minutes) (mg/m³): 2

The Control of Substances Hazardous to Health Regulations 2002. SI 2002/2677 The Stationery Office 2002.

EH40/2005 Workplace exposure limits (Fourth Edition 2020).

DNEL

potassium hydroxide

Duration:	Route of exposure:	DNEL:	
Long term – Local effects - General population	Inhalation	1 mg/m³	
Long term – Local effects - Workers	Inhalation	1 mg/m³	

sodium carbonate

Duration:	Route of exposure:	DNEL:	
Long term – Local effects - General population	Inhalation	5 mg/m³	
Long term – Local effects - Workers	Inhalation	10 mg/m³	

sodium hydroxide

Duration:	Route of exposure:	DNEL:	
Long term – Local effects - General population	Inhalation	1 mg/m³	
Long term – Local effects - Workers	Inhalation	1 mg/m³	

PNEC

No data available.

8.2. Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

General recommendations: Smoking, drinking and consumption of food is not allowed

in the work area.

Exposure scenarios: There are no exposure scenarios implemented for this

product.

Exposure limits: Professional users are subjected to the legally set

maximum concentrations for occupational exposure. See

occupational hygiene limit values above.

Appropriate technical measures: Apply standard precautions during use of the product.

Avoid inhalation of gas or dust.

Airborne gas and dust concentrations must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure emergency eyewash and showers are clearly marked.

TopTeak Step 1 Cleaner Page 5 of 11

Ensure that eyewash stations and safety showers are

located within easy reach.

Hygiene measures: In between use of the product and at the end of the

working day all exposed areas of the body must be washed

thoroughly. Always wash hands, forearms and face.

Measures to avoid environmental

exposure:

Keep damming materials near the workplace. If possible,

collect spillage during work.

Individual protection measures, such as personal protective equipment

Generally: Wash contaminated clothing before reuse.

Use only UKCA marked protective equipment.

Respiratory Equipment:

Туре	Class	Colour	Standards	
Respiratory protection is not needed in the event of adequate ventilation.				

Skin protection:

Recommended	Type/Category	Standards	
Wear appropriate protection clothing	-	-	

Hand protection:

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
Wear appropriate gloves				

Eye protection:

Туре	Standards	
Safety glasses	EN166	

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state:BeadsColour:WhiteOdour / Odour threshold:None

pH: -

pH in solution: >13 (0,5%)

Density (g/cm³): Testing not relevant or not possible due to the nature of

the product.

Kinematic viscosity: Does not apply to solids.

TopTeak Step 1 Cleaner Page 6 of 11



Particle characteristics: Testing not relevant or not possible due to the nature of

the product.

Phase changes

Melting point/Freezing point (°C): Testing not relevant or not possible due to the nature of

the product.

Softening point/range (waxes and

pastes) (°C):

Does not apply to solids.

Boiling point (°C): Does not apply to solids.

Vapour pressure: Testing not relevant or not possible due to the nature of

the product.

Relative vapour density: Does not apply to solids.

Decomposition temperature (°C): Testing not relevant or not possible due to the nature of

the product.

Data on fire and explosion hazards

Flash point (°C): Does not apply to solids.

Flammability (°C): The material is not combustible.

Auto-ignition temperature (°C): Testing not relevant or not possible due to the nature of

the product.

Lower and upper explosion limit (%

v/v):

Does not apply to solids.

Solubility

Solubility in water: Very soluble

n-octanol/water coefficient: Testing not relevant or not possible due to the nature of

the product.

Solubility in fat (g/L): Testing not relevant or not possible due to the nature of

the product.

9.2. Other information

Oxidizing properties: Testing not relevant or not possible due to the nature of

the product.

Other physical and chemical

parameters:

No data available.

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

No data available.

10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

Water

Moisture

Water mist

10.5. Incompatible materials

TopTeak Step 1 Cleaner Page 7 of 11



Strong acids

Metal

10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 as retained and amended in UK law

Acute toxicity

Based on available data, the classification criteria are not met.

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/irritation

Causes serious eye damage.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Skin sensitisation

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Long term effects

Tissue-damaging effects: This product contains substances with skin corrosive properties. Inhaled vapour or aerosols may produce adverse effects to lungs, irritations and burns in the respiratory organs as well as coughing. Dermal contact and contact with the eye cause irreversible effects.

Endocrine disrupting properties

This mixture/product does not contain any substances known to have hormone-disrupting properties in relation to health.

Other information

None known.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

TopTeak Step 1 Cleaner Page 8 of 11

No data available.

12.2. Persistence and degradability

No data available.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

12.6. Endocrine disrupting properties

This mixture/product does not contain any substances considered to have endocrine-disrupting properties in relation to the environment.

12.7. Other adverse effects

None known.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product is covered by the regulations on hazardous waste.

HP 8 - Corrosive

Dispose of contents/container to an approved waste disposal plant.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

EWC code

Not applicable.

Specific labelling

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: TRANSPORT INFORMATION

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*		Other information:
ADR	UN1823	SODIUM HYDROXIDE, SOLID	Transport hazard class: 8 Label: 8 Classification code: C6	II		Limited quantities: 1 kg Tunnel restriction code: (E) See below for additional information.
IMDG	-	-	-	-	_	-
IATA	-	-	-	-	-	-

^{*} Packing group

TopTeak Step 1 Cleaner Page 9 of 11

^{**} Environmental hazards



Additional information

ADR / See Table A, section 3.2.1 for any information on special provisions, requirements, or warnings in connection with transport. See section 5.4.3, for instructions in writing regarding mitigation of damages in relation to incidents or accidents during transport.

This product is within scope of the regulations of transport of dangerous goods.

Hazchem Code: 2W

14.6. Special precautions for user

Not applicable.

14.7. Maritime transport in bulk according to IMO instruments

No data available.

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application: Restricted to professional users.

People under the age of 18 shall not be exposed to this

product.

Demands for specific education: No specific requirements.

SEVESO - Categories / dangerous

substances:

Not applicable.

Additional information: Not applicable.

Sources: The Management of Health and Safety at Work

Regulations 1999.

Regulation (EU) No 1357/2014 of 18 December 2014 on

waste as retained and amended in UK law.

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (CLP) as

retained and amended in UK law.

Regulation (EC) No 1907/2006 concerning the Registration,

Evaluation, Authorisation and Restriction of Chemicals (REACH) as retained and amended in UK law.

15.2. Chemical safety assessment

No

SECTION 16: OTHER INFORMATION

Full text of H-phrases as mentioned in section 3

H302, Harmful if swallowed.

H314, Causes severe skin burns and eye damage.

H315, Causes skin irritation.

H319, Causes serious eye irritation.

Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

TopTeak Step 1 Cleaner Page 10 of 11



BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CE = Conformité Européenne (European conformity)

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

CSA = Chemical Safety Assessment

CSR = Chemical Safety Report

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EINECS = European Inventory of Existing Commercial chemical Substances

ES = Exposure Scenario

EUH statement = CLP-specific Hazard statement

EuPCS = European Product Categorisation System

EWC = European Waste Catalogue

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IARC = International Agency for Research on Cancer (IARC)

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as

modified by the Protocol of 1978. ("Marpol" = marine pollution)

OECD = Organisation for Economic Co-operation and Development

PBT = Persistent, Bioaccumulative and Toxic

PNEC = Predicted No Effect Concentration

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

RRN = REACH Registration Number

SCL = A specific concentration limit

SVHC = Substances of Very High Concern

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure

TWA = Time weighted average

UN = United Nations

UVBC = Unknown or variable composition, complex reaction products or of biological materials

VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

Additional information

The classification of the substance/mixture in regard of health hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

The classification of the substance/mixture in regard of skin corrosion and serious eye damage is based on the pH-criterion given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

The safety data sheet is validated by

Thibault

Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product.

Information in this safety data sheet cannot be used as a product specification.

Country-language: GB-en